

2. Outreach Services:

Outreach services focus on reaching underprivileged and rural populations where access to cancer screening and preventive care is limited. The key outreach activities include:

- **Screening Camps:** Organizing regular mobile camps in rural and underserved areas to screen for various cancers and provide early detection services.



- **Awareness Programs:** Conducting educational sessions in schools, community centers, and workplaces to raise awareness about cancer prevention, early signs, and risk factors.



Breast Cancer Awareness month

- **Vaccination camps:** organizing regular vaccination drives, particularly focusing on HPV vaccines to prevent cervical cancer, targeting at-risk populations and ensuring broader community immunization against preventable cancers.



Students Awareness

- **Adolescent / students awareness:** Focused initiatives are undertaken to educate adolescent students about cancer prevention, reproductive health, and lifestyle choices. The department



conducts interactive workshops and school programs to empower young individuals with knowledge on cancer risks, screening, and

prevention strategies.

- **Tobacco cessation:** The department actively engages in tobacco cessation programs, offering counseling, support groups, and resources to help individuals quit smoking and reduce their risk of cancer. These programs are integral to their broader public health efforts aimed at reducing tobacco-related cancer incidences

- **Collaboration with NGOs and Government Programs:** Working with non-governmental organizations and government health programs to promote cancer prevention and screening at the grassroots level.

- **Capacity Building for Healthcare Workers:** Training local healthcare providers and community health workers on cancer screening techniques and the importance of early detection.



CNE For Nursing Fraternity



Training Session For Frontline Health Worker



Workshop For Public Health Personnel

- **Cancer Prevention Campaigns:** Large-scale public health campaigns focusing on reducing risk factors such as tobacco use, alcohol consumption, unhealthy diet, and physical inactivity.



Nukkadnatak / Street play



Avert Cervical Cancer

10-15% Women In 30-60 Age Group +ve For Virus

HOW TO LOWER RISK

- Screening early
- Screening regularly (2-3 years)
- Prompt treatment

Signs and symptoms

- Bleeding after sex
- Abnormal vaginal discharge
- Pain during intercourse
- Unexplained weight loss
- Enlarged lymph nodes
- Loss of bladder control

Who are at higher risk?

- Multiple sex partners
- Having sex with a partner who has HPV
- Long-term use of oral contraceptives
- Early child birth
- Family history

Signs and symptoms

- Bleeding after sex
- Abnormal vaginal discharge
- Pain during intercourse
- Unexplained weight loss
- Enlarged lymph nodes
- Loss of bladder control

... ..

छात्राओं को कैंसर के बारे में बताया

... ..

प्रतियोगिता में अंशल अव्वल

... ..

कैंसर से बचने के लिए महिलाएं जागरूक बनें: देश

... ..

छात्राओं को सर्वािकल और कैंसर के बारे में जागरूक किया

... ..

छात्राओं को सर्वािकल और कैंसर के बारे में जागरूक किया

... ..