



अ०भा०आ०सं०  
A. I. I. M. S.

**ALL INDIA INSTITUTE OF MEDICAL SCIENCES**  
**ANSARI NAGAR, NEW DELHI - 110029**

No. F.33/BMW/2019-Estt. (H)

Date: 08.07.2019

**Subject: Submission of monthly Report of Bio Medical Waste Management (BMW)-reg.**

Reference letter no. P-18012/12/2016-Environment dated 11.04.2017 from DGHS, MoHFW, GOI on the subject cited above (Flag 'A').

In this regard, the monthly report for the month of June, 2019 in the prescribed format is placed below at Flag 'B'.

Submitted for kind perusal & signature please.

*for Dr. Vijaydeep Siddharth*  
**Dr. Vijaydeep Siddharth**  
Nodal Officer  
Biomedical Waste Management

*[Signature]*  
**Medical Superintendent, AIIMS**

*Rd of 08/07/19*

**ALL INDIA INSTITUTE OF MEDICAL SCIENCES**  
**Ansari Nagar, New Delhi 110029**

F. No. 33/BMW/2019-Estt.(H)

Dated : 08/07/2019

To

**Dr. Chhavi Pant Joshi**  
**Deputy Assistant Director General**  
**Directorate General of Health Services**  
**Ministry of Health & Family Welfare**  
**(Environment & Climate Change Cell)**  
**Government of India**

**Sub:- Submission of monthly report for Bio Medical Waste Management.**

Dear Sir/ Madam,

This is in reference to your letter no. P-18012/12/2016 Environment dated 11<sup>th</sup> April, 2017 regarding above mentioned subject.

Please find enclosed the report of Biomedical Waste Management for the **month of June, 2019** duly signed by the Medical Superintendent on behalf of the Director, AIIMS, New Delhi.

Kind regards

*Dr. Rangan*  
8/7/19

**Nodal Officer**  
**Biomedical Waste Management**  
**AIIMS, New Delhi**

From -IV  
(See rule 13)  
Monthly Report


S.No	Particulars		
1.	Particulars of the Occupier	:	
	(u) Name of the authorized person (occupier or operator of facility)	:	Director AIIMS Prof. Randeep Guleria
	(ii) Name of HCF or CBMWTF	:	All India Institute of Medical Sciences (AIIMS)
	(iii) Address for Correspondence	:	AIIMS, Ansari Nagar, New Delhi-110029
	(IV)Address of Facility	:	Same as above
	(v)Tel. No. Fax. No.	:	26594800
	(VI) E-mail ID	:	director.aiims@gmail.com
	(VII)URL of Website	:	aiims.edu
	(VIII)GPS coordinates of HCF of CBMWTF	:	
	(IX)Ownership of HCF of CBMWTF	:	Autonomous Organization
	(X)Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No DPCC/BMW/AUTH/NEW NO/2017/03334
	(XI)Status of Consents under Water Act and Air Act. Valid up to:	:	Certificate No. 0-029036 Valid up to 09/03/2022
2.	Type of Health Care Facility	:	
	(xxxvii) Bedded Hospital	:	No. of Beds: 2412
	(xxxviii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	N.A.
	(xxxix) License number and its date of expiry.	:	N.A.
3.	Details if CBMWTF	:	
	(lxxxv) Number healthcare facilities covered by CBMWTF	:	N.A.
	(lxxxvi) No. of beds covered by CBMWTF	:	N.A.
	(lxxxvii) Installed treatment and disposal capacity of CBMWTF	:	N.A.
	(lxxxviii)Quantity of biomedical waste treated or disposal by CBMWTF	:	N.A.
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 37,992kg/month Red Category:42,873kg/month White: 602.5 kg/month Blue Category:36,493 kg/month General Solid waste 2,10,000 kg/month
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility: Handled by CBMWTF	:	
	(xiii) Details of the on-site storage facility	:	Size : (99X6.5X9)X2  Capacity: 250 KG Provision of on-site storage : (cold storage or any other provision)
	(ii) Disposal Facilities	:	Type of treatment No Capacity Quantity Equipment of Kg/day treated or Units disposed NIL In Kg per Annum

			<p>Incinerators  Plasma Paralysis  Autoclaves  Microwave  Hydroclave  Shredder  Needle tip cutter or  destroyer  Sharps  encapsulation or  concrete pit  Deep Burial pits:  Chemical  disinfection:  Any other treater  equipment:</p>	Handled by CBMWTF Operator									
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) Handled by CBMWTF operator										
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	3 Vehicles										
	(lxxxix) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		<table border="0"> <tr> <td></td> <td>Quantity Generated</td> <td>Where disposal</td> </tr> <tr> <td>Incineration Ash</td> <td>NIL</td> <td>NIL</td> </tr> <tr> <td>ETP Sludge (STP) 3650 kg/p.a</td> <td>used for complex horticulture</td> <td></td> </tr> </table>		Quantity Generated	Where disposal	Incineration Ash	NIL	NIL	ETP Sludge (STP) 3650 kg/p.a	used for complex horticulture		
	Quantity Generated	Where disposal											
Incineration Ash	NIL	NIL											
ETP Sludge (STP) 3650 kg/p.a	used for complex horticulture												
	(xc) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	One, Biotic Waste Solutions Private limited										
	(xci) List of member HCF not handed over bio-medical waste.	:	Nil										
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	Yes										
7.	Detail trainings conducted on BMW												
	(lxxiii) Number of training conducted on BMW Management.		126										
	(lxxiv) Number of personnel trained		9141										
	(lxxv) Number of personnel trained at the time of induction		2100										
	(lxxvi) Number of personnel not undergone any training so far.		1859										
	(lxxvii) Whether standard manual for training is available ?		Utilizing through posters, videos & power point presentation.										
	(lxxviii) Any other information)		Nil										
8.	Details of the accident occurred during the year		Nil										

	(xlix) Number of Accidents occurred		Nil
	(l) Number of the persons affected		Nil
	(ii) Remedial Action taken (Please attach details if any)		NA
	(iii) Any Fatality occurred, details.		NO
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		N.A.
	Details of Continuous online emission monitoring systems installed		N.A.
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		STP
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N.A.
12.	Any other relevant information	(Air Pollution Control Device attached with the incinerator.)	N.A.

Certified that the above report is for the period from

01/06/2019 to 30/06/2019



Name and Signature of the Head of the Institution

Date: 08/07/19

Place: New Delhi