

**All-India Institute of Medical Sciences
Ansari Nagar, New Delhi-29
(RESEARCH SECTION)**

Ref. No. 08/Prop/AC/21-22/RS

Dated: //11/2021

**Subject: Procurement of SALSA KITS on proprietary basis –
Inviting comments thereon.**

The request has been received from **Dr. Anita Chopra, Additional Professor, Deptt. of Lab Oncology, IRCH, AIIMS** to purchase the subject item from **M/s.DSS Imagetech Pvt.Ltd. (Mfg.: M/s. MRC Holland)** on proprietary basis. The proposal submitted by **M/s.DSS Imagetech Pvt.Ltd. (Mfg.: M/s. MRC Holland)** and Performa Invoice and Departmental PAC certifications are attached.

The above documents are being uploaded for open information to submit objections, comments, if any, from any manufacturer regarding proprietary nature of the equipment/item within issue of 15 days giving reference **No. 08/Prop/AC/21-22/RS**. The comments should be received by office of Stores Officer (RS), Research Section at AIIMS on or before **27.11.21 upto 12:00 p.m.**, failing which it will be presumed that any other vendor is having no comment to offer and case will be decided on merits.

Encl: Related documents enclosed.

- 1. PAC Certificate enclosed.**
- 2. Performa Invoice**


11/11/21
ASST.STORES OFFICER (RS)

ALL INDIA INSTITUTE OF MEDICAL SCIENCES
ANSARI NAGAR, NEW DELHI-110029

RESEARCH SECTION

PROPRIETARY/SPECIFIC BRAND GOODS CERTIFICATE

1. Item/Type/Model No. required alongwith specification. *SALSA MLPA P335, SALSA MLPA P202, SALSA MLPA P383 T-ALL, SALSA MLPA EK5.*
2. Is the item a spare parts attachment or accessory for an existing equipment. *N. A.*
3. Name of the manufacturers/supplier of the item proposed by the Indentor. *DSS IMAGETECH Pvt.Ltd.*
4. Are they sole manufacturers/sole distributors of the item. *Yes.*
5. Is there any other item with similar/ equivalent specification available in the market to meet the job requirement envisaged. If the answer is yes, why the same can't be procured. Demanding officer should bring out comparative functional advantages/cost effectiveness of the recommended item from these offered by other. *No*

6. What were the efforts made to locate alternative source of supply or use other substitutes. *No*

7. Why open/limited tender can't be resorted to, for locating alternative source.

This is a proprietary item. It is supplied by only DSS Imagetech Pvt. Ltd. Authorization Certificate is attached.

8. Are the proprietary items certifying that the rates are reasonable or not. *Yes.*

9. Any other justification for procuring item from single source. *NA. (proprietary item).*

Anita Chopra
Signature of Indentor
(Demanding Officer)
DR. ANITA CHOPRA, M.D. (M. PH.),
Senior Scientist / Assistant Professor
Laboratory of Immunology and Laboratory Diagnostics Unit
ICMR, All India Institute of Medical Sciences, New Delhi

COUNTERSIGN
(Head of the Department)

I certify that the item at Sr. No. 1 above is required to be procured on single tender basis as the source of supply is definitely known/the specified brand proposed was advantages in meeting our functional requirements and limited tender system could be dispensed with as they would serve no useful purpose in this particular case.

(Strike out whichever is not applicable)



DSS IMAGETECH PVT. LTD.
 A-5 Mohan Co-operative Industrial Estate,
 Mathura Road, New Delhi - 110 044
 Toll Free No: 1800 200 5808
 sales@dssimage.com | www.dssimage.com
 CIN: U33201DL1998PTC094932

DSS/North/21-22/AIIMS-DR ANITA-Q-100

13-10-2021

To,
 DR ANITA CHOPRA
 IRCH-AIIMS
 NEW DELHI

Sub:- Quotation For the Purchase of MLPA Products

Dear Sir / Ma'am,

Please find enclosed the price for following products:-

Product No.	Item Description	Pack Size	Price/Unit In Rs.	qty	Total
P335-100R	SALSA MLPA P335 ALL-IKZF1 probemix - 100 reactions	100R	84,836	1	84,836
P202-050R	SALSA MLPA P202 IKZF1 (IKAROS) probemix - 50 reactions	50R	42,418	1	42,418
P383-050R	SALSA MLPA P383 T-ALL probemix - 50 reactions	50R	42,418	1	42,418
EK5-FAM	SALSA MLPA EK5 Reagent kit 500 reactions - FAM	500R	1,23,560	1	1,23,560
TOTAL AMOUNT					2,93,232
GST @ 12%					35,188
TOTAL AMOUNT					3,28,420

TERMS & CONDITIONS	
1. Price	The prices quoted are FOR Destination The above quoted prices are inclusive of Custom Duty, Freight, and Clearance & Delivery Charges.
2. Payment	The payment should be made strictly within 30 days.
3. GST	GST 12% will be charged extra as applicable
4. Validity	This quotation is valid for 90 days.
5. Delivery	Delivery time is 30 days after receipt of FORMAL order.

Thanking you & assuring you of our best services.

Yours Truly

For DSS IMAGETECH PVT. LTD.

Authorised Signatory

Arvind Pandey
 Arvind Pandey
 Manager-Sales

Anita Chopra
 ANITA CHOPRA
 Director
 All India Institute of Medical Sciences

To whom it may concern:

J.P. Schouten, as director of MRC Holland B.V. with legal address in Willem Schoutenstraat 1, 1057DL Amsterdam, the Netherlands and Chamber of Commerce nr. 34204804 (fiscal V.A.T. identification number NL813037761B01) hereby declares that MRC Holland B.V. is the sole company worldwide that produces SALSA® MLPA® products.

Amsterdam, 18 februari 2021



Dr. J.P. Schouten

Director, MRC Holland



Dr. ANITA CHOPRA, M.D., D.Phil.
Senior Scientist / Assistant Professor
Lecturer in Laboratory Genetics
MRC Holland
Willem Schoutenstraat 1
1057 DL Amsterdam
the Netherlands

@ +31 68 8657200
info@mrc Holland.com
order@mrc Holland.com
www.mrc Holland.com

Bank: ABN-AMRO Amsterdam
IBAN: NL56ABNA 0418 9650 56
BIC/Swift: ABNANL2A
VAT: NL813 037 761 B01
Trade register Amsterdam: 34204804

To whom it may concern:

J.P. Schouten, as director of MRC Holland B.V. with legal address in Willem Schoutenstraat 1, 1057DL Amsterdam, The Netherlands and Chamber of Commerce nr. 34204804 (fiscal V.A.T. identification number NL813037761B01) authorizes the company, **DSS Imagetech Pvt. Ltd.** located in A-5 Mohan Co-operative Industrial Estate, Mathura Road, New Delhi 110044, India to be its authorized distributor in India until 31st December 2021.

DSS Imagetech Pvt. Ltd. is also authorized to participate in tenders with SALSA® MLPA® products.

Amsterdam, 03 december 2020



Dr. J.P. Schouten

Director, MRC Holland

