

**ALL INDIA INSTITUTE OF MEDICAL SCIENCES  
(DEPARTMENT OF ORTHOPAEDICS)  
ANSARI NAGAR, NEW DELHI-110029**

Date: 17/01/2016

Our Reference:

Limited Tender Enquiry No. 12/Ortho/Store/2016-2017/Plan

Dear M/s.

A Limited Tender Enquiry is hereby floated invited for purchasing the following item required by the Department of Orthopaedics, AIIMS, New Delhi.

Equipment Name	SATHI (Save the Hip) <b>EQUIPMENT</b>
Guarantee/Warranty	2 Years CAMC

**SATHI (Save the Hip)**

**Technical Specifications**


**Only complete Set quoted firm will be consider**

1.	<b>POLYMETRIC REBOUNDER:</b> (a) Adjustable surface should rebound from at least six different angles. (b) Trampoline should look into flap stationary position also (c) Should have arm support to hold. (d) Should have at least 5 coloured medicine balls (gel filled) of various denominations one each at least ½ kg, 1kg, 2kg, 3kg, 4kg. (e) Should have good quality steel frame with oven baked finish.	One No.
2.	<b>Stepper with Air Control Base Of Size 35x35:</b> (a) The Stepper should be inflated with air as for the weight of the Patient. (b) Should provide cardiovascular and strength endurance training when air valve opens. (c) Should provide co-ordination and proprioceptive with 2 independent and unstable cushions, when air valve is closed.	One No.
3.	<b>Wobble Board:</b> (a) Should have top Diameter of 50-55 cm approximately. (b) Top should be cushioned and with good quality non slippery rexine. (c) Should have semi-circular base of height between 58-64 mm. (d) Should have at least two side hold for stability.	Two Nos.
4.	<b>Equilibrium Board/ Rocker (Rectangular)</b> (a) Should be of size 45-50 cm x 60-64 cm (height 14 cm-18 cm) (b) Should be natural finish padded plat form. (c) Should have non slippery, good quality foam for stable footing. (d) Should have support for stability.	Two Nos.
5.	<b>Adjustable base Grip Exerciser :</b> (a) Grip size should be adjustable of at least 3-4 length for different age group patients. (b) Should have at least six high resistance detachable springs. (c) Should have proper calibration to record the daily progress of the patients. (d) Should be metallic and chrome with plated finish with laminated base of size 750 mm to 80 mm.	Two Nos.
6.	<b>Digital Readout Stopwatch:</b>	Three Nos.
7.	<b>Bosu Ball:</b> (a) Should be mode of 2 part: (i) Hard base (ii) Soft disc Both parts should be used together as well as separately also adjustable inflation. (b) Should have tested load capacity of 200 kg – 220 kg and should be at least 120kg – 150 kg weight	Two Nos.
8.	<b>Balance Disk:</b> (a) Should be comfortable and stable. (b) Weight max: 120kg- 130kg/should be tested load capacity (c) Should be usable as a sitting cushion, and on the ground also as the need be.	Two Nos.

*Dr. R. MALHOTRA*  
MBBS, MS (Ortho), FRCS, FACS, FICS, FIMSA  
Professor & Head  
Department of Orthopaedics  
A.I.I.M.S., New Delhi-110029



9.	<b><u>Swiss Ball (Size 55 cm):</u></b> (a) Should have tested load capacity 300-325kg & maximum weight capacity 120kg-130kg (b) Should ensure good performance and high resiliency. (c) Should deflates very slowly in case of puncture have burst resistance quality. (d) Should have bright colours.	One Nos.
10.	<b><u>Swiss Ball (Size 65 cm):</u></b> (a) Should have tested load capacity 300-325kg & maximum weight capacity 120kg-130kg (b) Should ensure good performance and high resiliency. (c) Should deflates very slowly in case of puncture have burst resistance quality. (d) Should have bright colours.	Two Nos.
11.	<b><u>Swiss Ball (Size 75 cm):</u></b> (a) Should have tested load capacity 300-325kg & maximum weight capacity 120kg-130kg (b) Should ensure good performance and high resiliency. (c) Should deflates very slowly in case of puncture have burst resistance quality. (d) Should have bright colours.	Two Nos.
12.	<b><u>Accessories Kit:</u></b> Includes 2 Handle (i) Door Anchor (ii) Loop Anchor	Two Nos.
13.	<b><u>Exercise – Band (Red/Light)</u></b> (a) Stretchable latex rubber strip thickness can vary (Colour coded) (b) 14-16 cm wide (c) 5.2 to 5.5 meter Roll.	Two Nos.
14.	<b><u>Exercise Band (Green/Medium):</u></b> (a) Stretchable latex rubber strip. Thickness can vary (Colour coded) (b) 14-16 cm wide (c) 5.2 to 5.5 meter Roll.	Four Nos.
15.	<b><u>Exercise Band (Blue/Heavy):</u></b> (d) Stretchable latex rubber strip. Thickness can vary (Colour coded) (e) 14-16 cm wide (f) 5.2 to 5.5 meter Roll.	Two Nos.
16.	<b><u>Exercise Band (Yellow/Light):</u></b> (a) Mode of Rubber Latex. (b) Resistance in colour coded. (c) Should be 25 foot/7.6 meter Rolls.	Two Nos.
17.	<b><u>Exercise Tubing (Red/Light):</u></b> (a) Mode of Rubber Latex. (b) Resistance in colour coded. (c) Should be 25 foot/7.6 meter Rolls.	Three Nos.
18.	<b><u>Stairs + Ramp:</u></b> One Ramp of Play-board/Hardwood Three Nested Curbs Stored bellow the Ramp. Anti-slip safety mats on Ramp + Curbs. Ramp should measures 212 cm x 110 cm & Tapers in height from 20 mm to 200 mm Curbs:- (i) 100x100 x15 cm Height. (ii) 90x90x10 cm Height. (iii) 80x80x5 cm Height.	One Nos.
19.	<b><u>Exercise Mat Red:</u></b> (a) Should be lightweight, comfortable and do not slide on the floor. (b) Mats up of closed cells foam with an extra toughness. (c) A Transverse ribbing pattern in molded into the mat to resist tearing to make mat enough flexible. (d) Should be able to rolled up for carrying & storage (e) Corners should be rounded. (f) 72"L x 39"W x 6"D ( 185x100x15 cm) Weight should be around 8 Lbs.	Five Nos.
20.	<b><u>Double Pulley Shoulder Exercise:</u></b> (a) One T shaped made up of metal with two hooks. (b) Two good Pulleys (c) One Plastic rope	One Nos.
21.	<b><u>Y Balance test Kit:</u></b> a) Y shaped kit used for Balanced	One Nos.

  
**Dr. R. MALHOTRA**  
 MBBS, MS (Ortho), FRCS, FACS, FICS, FIMSA  
 Professor & Head  
 Department of Orthopaedics  
 A.I.I.M.S., New Delhi-110029




## TERMS & CONDITIONS:

1. The quotations should be addressed to 'Professor and Head, Department of Orthopaedics, Room No. 5036/A, AIIMS, New Delhi-29' and sent by post/ courier by **02/02/2017 upto 5:00 P.M.** Quotations should be sealed in an envelope and the reference no. and item name clearly written on top of the envelope. (i.e. L.T.E No. 12/Ortho/Stores/2016-2017/Plan for the item **SATHI (Save the Hip)**)
2. The firm must be registered and having TIN no./ registration no. **(Please mentioned TIN/ registration no. on the bids) or else the quotation will be REJECTED.**
3. The bidder is required to submit **bid in two parts** viz
  - (a) **Technical Bid in one envelope containing following information.**
    - i. Technical descriptions of quoted model/s
    - ii. List of all consumables/accessories required to run the equipment
    - iii. Terms & conditions including warranty/CMC/Taxes etc.
    - iv. Original Catalogues of quoted model/s
    - v. Earnest Money Deposit
    - vi. All required affidavits/undertaking
    - vii. Principal company authorization letter
  - (b) **Commercial bid in one envelope containing following information**
    - i. Offered price of quoted model/s
    - ii. Price list of all consumables/accessories required to run the equipment
    - iii. Post warranty Comprehensive Maintenance Charges (i.e. 3<sup>rd</sup> to 5<sup>th</sup> year)

## BOTH BIDS SHOULD BE PACKED IN A SEPARATE SEALED ENVELOPES

4. The **Earnest Money Deposit (EMD) of Rs. 10,000/- (Rs. Ten Thousand only)** In favour of 'Director, AIIMS, Delhi' In form of Account Payee Demand Draft, Fixed Deposit Receipt, Banker's Cheque or a Bank Guarantee in acceptable form from any of the Scheduled Banks should be enclosed with Technical bid. **Submission of EMD is mandatory in acceptable form, failing which their bid will be summarily rejected and no correspondence will be entertained in future in this regard. Any kind of exemptions giving MSME/NSIC in respect of EMD will not be acceptable.**
5. The earnest money of the successful bidder and the unsuccessful bidders will be returned to them without any interest.
6. The offered make/brand should be mentioned on the bid. **Relevant literature/original catalogue should be submitted along with the technical bid failing with item would not be considered.**
7. Quotation should be typed/ written in ink. No overwriting or erased entries should be there in the quotation. The rates **should be valid for at least nine months.**
8. VAT/Sales tax or any other kind of tax(s) must be separately mentioned against each item. In case no sales tax is chargeable, prices must be quoted as NET PRICE.
9. **Demonstration:** The Purchaser reserves the right to ask for a free demonstration of the quoted equipment at a pre determined place acceptable to the purchaser for technical acceptability as per the tender specifications, before the opening of the Price Tender.
10. **Warranty/Guarantee:** The item must be covered under **2 years comprehensive warranty (Including all spares and labor) from the date of completion of the satisfactory**

  
**Dr. R. MALHOTRA**  
MBBS, MS (Ortho), FRCS, FACS, FICS, FIMSA  
Professor & Head  
Department of Orthopaedics  
A.I.I.M.S., New Delhi-110029




installation. The warranty charges shall not be quoted separately otherwise the offer shall be summarily rejected.

11. **Post Warrant CAMC:** The bidders must submit their quote also (rates) for subsequent next (3<sup>rd</sup> to 5<sup>th</sup> year) five years Comprehensive AMC (including all spares and labor) in their price bid. Failure to comply this condition will entail the rejection of the bids. The cost of CMC will be added for ranking/evaluation purpose

**Undertakings:**

- a) An undertaking should be enclosed with the technical bid state 'that the firm has deposited the VAT/ SALES TAX to the VAT department of last period, and there is no outstanding of taxes is pending against the firm'.
  - b) The firm has to give a affidavit on non-judicial stamp paper that the firm has not been blacklisted in the past by any Institution, Government/Private.
  - c) The firm has to give an affidavit on a non-judicial stamp paper that there is no vigilance FEMA/CBI case pending against the firm/supplier.
  - d) The firm has to give an affidavit on a non-judicial stamp paper that the firm is not supplying the same item at lower rates quoted in the tender to any government organization or any other institution during past 1 year, as per FALL CLAUSE adhered by DGS&D and other government agencies.
  - e) The firm has to give an affidavit that "We hereby certify that if at any time, information furnished by us is proved to be false or incorrect, we are liable for any action as deemed fit by the purchaser in addition to forfeiture of the earnest money.
12. Installation and training of equipment will be provided by the company at free of cost and there will no extra charges will be paid.
13. The firm must be able to supply the item at the mentioned place/location within stipulated time for supply after issuing the Supply Order.
14. **Payment:** will be made through ECS/RTGS/NEFT after delivery and inspection of working conditions of the item. Please provide following information on the bill:
1. Name of the beneficiary
  2. Account no. of the beneficiary
  3. Bank/Branch name
  4. IFCS code of the bank/branch
  5. Please print on each page of the bill '**GEID No. GE 11400**'
  6. An undertaking on each page of the bill state that "It is certified that the firm is depositing VAT to the VAT department quarterly and filing the returns in stipulated time and there is no dues of VAT against the firm" **without undertaking the bill will not be process for payment.**
15. The Institute is not authorized to issue **C/D form** against the order placed in Indian Rupees.
16. **If the firm quoted the price in foreign currency, the payment terms will be 100% via bank transfer after delivery and successful installation of item. The firm has to be submit the 10% performance bank guarantee before releasing the payment.**
17. Commission for Indian Agent, if any and if payable shall be pay in Indian Rupees only.

18. The successful bidder firm has to deposit a 10% Performance Bank Guarantee of total value of item, in favour of 'Director, AIIMS, Delhi' in form of Account Pay DD/FDR/Bank Guarantee should be valid for two additional months on warranty periods, before releasing the payment.
19. It has been advised to all bidder firms that they may please check the Institute web-site [www.aiims.edu](http://www.aiims.edu) time to time if any corrigendum issuing regarding this L.T.E.
20. The quantity of items can be increased or decreased in the extent of 25%.
21. The Professor & Head of the Department reserves the right to cancel/reject full or any part of the rate enquiry which generally do not fulfill the conditions stipulated in the rate enquiry.



(O/I Deptt Stores)

(Professor and Head)

Dr. R. MALHOTRA  
MBBS, MS (Ortho), FRCS, FACS, FICS, FIMSA  
Professor & Head  
Department of Orthopaedics  
A.I.I.M.S., New Delhi-110029