



COMPREHENSIVE RURAL HEALTH SERVICES PROJECT  
CENTRE FOR COMMUNITY MEDICINE  
ALL INDIA INSTITUTE OF MEDICAL SCIENCES  
BALLABGARH – 121004 (HR)  
Ph. 0129-2241362/Fax. 0129-2211227

S.R.E.No.24/15-16/CRHSP-AIIMS/Ballabgarh

Dated the: 16/11/2015

**Towel Stand Steel:-**

**Qty:- Approx. 30 Nos.**

\*\*\*\*\*

The sealed quotations are invited by post/per bearer (under two bid system) in two separate sealed covers duly marked as "PRICE BID & TECHNICAL BID" (as the case may be) and both packed in other single envelope mentioning name of the quoted item for the supply of item detailed below which are required for CRHS Project, Ballabgarh.

The quotations duly signed and marked as "SRE No.24/CRHSP/Ballabgarh/15-16" (PRICE BID & TECHNICAL BID separately) should reach the office of the Professor In-charge, CRHSP, Ballabgarh on or before **24/11/2015 at 12.00 Noon**. All quotations should be type written or written with indelible ink. All over writing and erased entries will not be considered and treated as deleted entries from the quotations. The rates should be valid at least for one year. **A clause by clause compliance statement should be submitted, failing which the quotation will not be considered.**

The tenders are required to enclose with the quotation an **Earnest Money of Rs.2,000/- (Rupees Two Thousand only)** through a demand draft/pay order drawn in favor of the "Director, AIIMS", failing which the quotation will not be considered. In case of failure to comply with the supply order in terms of the contract, purchase will be made at the cost and risk of the contractors and or liquidated damages may be recovered from them. The period within which the goods can be supplied from the date of issue of the supply order should be specified.


The offers submitted as quality A, B, C, & D etc., will be summarily rejected, any alteration/over writing in the specification / rates shall not be considered at all.

The opening of quotations/tenders (technical bid only) will be intimated to the bidders separately.  
**The quantity shown in the Short Rate Enquiry can be increased or decreased to any extent depending upon the actual requirement.**

**Specification for Towel stand steel : Size 36"(H)X36"(L)X16"(D) with 3 rods and white painted.**

**Terms and Conditions:-**

**Standard AIIMS terms and conditions apply.**

  
PROFESSOR-IN-CHARGE,  
CRHS PROJECT, BALLAGARH

The firm should submit the following:-

1. **A clause by clause compliance statement should be submitted.**
2. Price Reasonable Certificate.
3. An undertaking on the official letterhead of the company that the firm has not been black listed.
4. An undertaking on the official letter head of the company that no Vigilance case is pending against the firm.