

3268967

**All-India Institute of Medical Sciences
Ansari Nagar, New Delhi-29
(RESEARCH SECTION)**

Ref. No. 63/Prop/K.G/CCRF/24-25/RS

Dated: - 03/08/24

Subject: Procurement of Qubit Reagent- Inviting comments thereon.

The request has been received from Dr. Kamal Gulati, Scientist-II, CCRF to Purchase the subject item from M/s. DSS Imagetech Pvt Ltd. (Mfg: M/s. MRC Holland Amesterdam on proprietary basis. The proposals submitted by M/s. DSS Imagetech Pvt Ltd. (Mfg: M/s. MRC Holland Amesterdam and Performa Invoice and Departmental PAC certifications are attached.

The above documents are being uploaded for open information to submit objections, comments, if any, from any manufacturer regarding proprietary nature of the equipment/item within issue of 15 days 63/Prop/K.G/CCRF/24-25/RS. The comments should be received by office of Stores Officer (RS), Research Section at AIIMS on or before 18/08/24 upto 12:00 p.m., failing which it will be presumed that any other vendor is having no comment to offer and case will be decided on merits.

Encl: Related documents enclosed.

1. PAC Certificate enclosed.
2. Performa Invoice.


STORES OFFICER (RS) 3/8



To whom it may concern:

J.P. Schouten, as director of MRC Holland B.V. with legal address in Willem Schoutenstraat 1, 1057DL Amsterdam, the Netherlands and Chamber of Commerce nr. 34204804 (fiscal V.A.T. identification number NL813037761B01) hereby declares that MRC Holland B.V. is the sole company worldwide that produces SALSA® MLPA® products.

Amsterdam, 18 februari 2021

Dr. J.P. Schouten
Director, MRC Holland

late

डॉ० लता रानी/Dr. Lata Rani
बैज्ञानिक-विशारद
केंद्रीकृत कोर अनुसंधान एजेंसी
Centralized Core Research Facility
ए.ए.आर.सी. दिल्ली-25/AHMS, New D

डॉ० मधुलिका कब्रा
मधुलिका कब्रा/Dr. MADHULIKA KABRA
बाल रोग विशेषज्ञ/Professor & Head
of Paediatrics/Deptt. of Pediatrics
ए.ए.आर.सी. दिल्ली-25/A.I.I.M.S.
ए.ए.आर.सी. दिल्ली-110029



HC

Signature



MRC Holland
Willem Schoutenstraat 1
1057 DL Amsterdam
the Netherlands

+31 88 9657200
info@mrcholland.com
order@mrcholland.com
www.mrcholland.com

Bank: ABN-AMRO Amsterdam
IBAN: NL36ABNA 0418 9650 36
BIC/Swift: ABNANL2A
VAT: NL813 037 761 B01
Trade register Amsterdam: 34204804



DSSImagetech Pvt. Ltd. A-
5 Mohan Co-operative Industrial Estate Mathura
Road, New Delhi - 110 044
Toll Free No. 1-800-212-2712/8448081331
enquiry@dssimage.com/www.dssimage.com/CI
NNo.E33201DL1998PTC094932

24th July 2024

To,
Dean Research
All India Institute of Medical Science, Delhi

Sub: Price certification

Kind Attn: Dr Lata

Dear Sir/Madam,

This is to certify that we have offered the maximum possible discount to you in our quotation ref: CM-ST24/24-25/110078

The prices charged item is proprietary product and DSS is authorised and is not higher than lowest prices during financial year 2024-2025 at which the party sells the items of identical description to any other Govt. Organisation during the currency of the contract will be applicable.

In case, if price charged by our firm is more, AIIMS New Delhi will have the right to recover the excess charged amount from the subsequent/unpaid bill of the supplier

For DSS IMAGETECH PVT.LTD.



Rinkesh Goyal
Sales Manager, Clinical Diagnostics Division

Rinkesh Goyal
Sr. Engineer / Dr. Madhukar
Sanghvi / Proprietor
Division of Clinical Diagnostics
All India Institute of Medical Science,
New Delhi - 110 029

Branch Offices: Bengaluru | Chandigarh | Chennai | Hyderabad | Kolkata | Lucknow | Mumbai | Pune | Trivandrum

ALL INDIA INSTITUTE OF MEDICAL SCIENCES
ANSARI NAGAR, NEW DELHI-110029
PROPRIETARY/SPECIFIC BRAND GOODS CERTIFICATE

1.	Item/Type/Model No. required along with Specifications	SALSA MLPA FKJ reagent kit and MLPA probemix
2.	Is the item a spare part attachment or accessory for an existing equipment	No, Consumables
3.	Name of the manufacturers/supplier of the item proposed by the indenter	Manufacturer: MRC Holland, Amsterdam, The Netherlands Supplier: DSS Imagetech Pvt. Ltd.
4.	Are they sole manufacturers/sole distributors of the item	Yes
5.	Is there any other item with similar/ equivalent specification available in the market to meet the job requirement envisaged? If the answer is yes, why same can't be procured. Demanding Officer should bring out comparative functional advantages/cost effectiveness of the recommended item from these offered by other	None
6.	What were the efforts made to locate alternative source of supply or use other substitutes	Internet Search
7.	Why open/limited tender can't be restored to, for locating alternative source	This is a proprietary item and documents to this effect have been received from the vendor
8.	Are the proprietary items certifying that the rates are reasonable or not	Yes, Letter Enclosed from the vendor.
9.	Any other justification for procuring item from single source	There are no other source or company available.

Lata
Signature of Indenter **Dr. Lata Rani**
(Demanding Officer)



We certify that the item at SNo. 1 above is required to be procured on single tender basis as the source of supply is definitely known/the specified brand proposed was advantageous in meeting our requirements and limited tender system could be dispensed with as they would serve no useful purpose this particular case.

Madhulika
COUNTERSIGNED
(Head of the Department)

Dr. Kam
Signature of Dr. Kam
Authorized Core Purchase
All India Institute of Medical Sciences
New Delhi-110029



Dr. Madhulika Kabra
Professor & Head
Dept. of Pediatrics
All India Institute of Medical Sciences
New Delhi-110029