All-India Institute of Medical Sciences Ansari Nagar, New Delhi-29 (RESEARCH SECTION)

Ref. No.20/Prop/Lab. Onco./AC/21-22/RS

Dated: 22.2.2012

Subject: Procurement of Salsa MLPA P383 T-ALL Probemix - 100 reactions-01 No. on proprietary basis - Inviting comproprietary basis - Inviting comments thereon.

The request has been received from Dr Anita Chopra, Addl. Prof. Dept. of Laboratory Oncology Unit to purchase the subject item from M/s. DSS Imagetech Pvt. Ltd.) on proprietary basis. The proposals submitted by Ms. DSS Imagetech Pvt. Ltd and Performa Invoice and Departmental PAC certifications are attached.

The above documents are being uploaded for open information to submit objections, comments, if any, from any manufacturer regarding proprietary nature of the equipment/item within issue of 15 days giving reference No. .20/Prop/Lab. Onco./AC/21-22/RS. The comments should be received by office of Stores Officer (RS), Research be presumed that any other vendor is having no comment to offer and case will be decided on merits.

Encl: Related documents enclosed.

- 1. PAC Certificate enclosed.
- 2. Performa Invoice

ALL INDIA INSTITUTE OF MEDICAL SCIENCES ANSARI NAGAR, NEW DELHI-110029



RESEARCH SECTION

PROPRIETORY/SPECIFIC BRAND GOODS CERTIFICATE

Item/Type/Model No. required alongwith specification.

SALSA MLPA P383 T-ALL Probemix - 100 reactions.

2. Is the item a spare parts attachment or accessory for an existing equipment.

N.A.

Name of the manufacturers/supplier of the item proposed by the Indentor.

D.S.S. IMAGIETECH PUT LTD.

Are they sole manufacturers/sole distributors of the item.

Yes.

Is there any other item with similar/ equivalent specification available in the market to meet the job requirement envisaged. If the answer is yes, why the same can't be procured. Demanding officer should bring out comparative functional advantages/cost effectiveness of the recommended item from these offered by other.

No

What were the efforts made to locate alternative source of supply or use other substitutes.

No.

7. Why open/limited tender can't be resorted to, for locating alter native source.

Yes.

Are the propriatory items certifying that the rates are reasonable or not.

Any other justification for procuring item from single source.

Signature of Indentor (Demanding Officer) मित्रीता चोपड़ा, एव औ औ एम. एम.ए.एम.एस Ir. ANITA CHOPRA, M.D., DM, MAMS अग्रपुर आचार्य / Additional Professor प्रयोगशाला अर्थुदविज्ञान इकद् / Laboratory Oncology Unit औं,भी,रा.अ.,सं.री.कंसर अस्पताल/Dr. B.R.A.I.R.C.H. अखिल भारतीय आयुर्विज्ञान संस्थाना नई दिल्ली

COUNTERSIGNE (Head of the Department)

certify that the item at Sr. No. 1 above is required to be procured on single tender basis as the source of supply is definitely known/the specified brand proposed was advertages in meeting our functional requirements and limited tender system could be dispensed with as they would serve no useful purpose in this particular case.

(Strike out whichever is not applicable) का सचित्र कुमाराठा. SACHIN KUMAR विकित्सा अर्बुटविज्ञान विभागाDeptt. of Medical Oncol ावापन्सा अनुदावज्ञान (वभागाधन्ता) of Medical Uncology डी.भी.रा.अ. सं.से.कंसर अस्पतास्थित, B.R.A., IRCH अधिक भारतीय आपुविज्ञान संस्थान/A.1.1.M.S. अधिक भारतीय आपुविज्ञान संस्थान/A.1.1.M.S. अधिक भारतीय श्री/Ansari Nagar, New Delhi-29

तवर /M Praisay Taravai अपर-आचार्य/Additional Professor प्रयोगशाला अर्बुदविज्ञान Vaboratory Choology ऑ.भी.रा.अ.,सं.रो.के.अ., अ.भा.आ.सं., नई दिल्ली-29 Dr. B.R.A., IRCH, A.I.I.M.S. New DelhI-110029



DSS Imagetech Pvt. Ltd. -5 Mohan Co-operative Industrial Estate Mathura Road, New Delhi - 110 044 Toll Free No. 1-800-212-2717 | 84480 81331 enquiry@dssimage.com | www.dssimage.com CIN No. U33201DL1998PTC094932

DSS/North/21-22/AIIMS-MLPA-DR ANITA-Q151

03-02-2022

To, DR ANITA CHOPRA **IRCH-AIIMS NEW DELHI**

Dear Sir / Ma'am,

Product No.	Item Description	Pack Size	Price/Unit	qty	Total
rioddet ivo.	The modern priori		In Rs.		
	SALSA MLPA P383 T-ALL probemix -				0.4.027
P383-100R	100 reactions		84,836	1	84,836
1303 1001	100700000		TOTAL AMOUNT		84,836
			GST @ 5%		4,242
			TOTAL AMOUNT		89,078

TERMS & CON	DITIONS	15. T
1. Price	The prices quoted are FOR Destination	
	The above quoted prices are inclusive of Custom Duty,	
	Freight, and Clearance & Delivery Charges.	
2. Payment	The payment should be made strictly within 30 days.	
3. GST	GST 12% will be charged extra as applicable	
4. Validity	This quotation is valid for 90 days.	
5. Delivery	Delivery time is 30 days after receipt of FORMAL order.	

Thanking you & assuring you of our best services.

Yours Truly

For DSS IMAGETECH PVT. LTD.

Authorised Signatory

Arunendra Pandey

Dr. ANITA CHOPRA, M.D., DM MAMS वनसाला अवुदावज्ञान इकाइ / Laboratory Oncology Urin ग्रंभी रोज्जा, स.सी.केशर अस्पताल/Dr B R A I R C.H वियव भारतीय आयुर्विज्ञान संस्थाना नई दिल्ली





To whom it may concern:

J.P. Schouten, as director of MRC Holland B.V. with legal address in Willem Schoutenstraat 1, 1057DL Amsterdam, the Netherlands and Chamber of Commerce nr. 34204804 (fiscal V.A.T. identification number NL813037761B01) hereby declares that MRC Holland B.V. is the sole company worldwide that produces SALSA® MLPA® products.

Amsterdam, 18 februari 2021

Dr. J.P. Schouten

Director, MRC Holland

प्रकार अनीता चोपड़ा, एवडा.डोएग. एमएएपए Dr. ANITA CHOPRA, M.D., DM, MAMS अपर बाचार्ग ! Additional Professor प्रयोगशाला अर्थुदविज्ञान डार्ग ! (Laboratory Oncology Unit डॉ.भी.रा.आ. सं. तो.कसर अस्पताल/Dr. B.R.A.I.R.C.H. अस्प्रित भारतीच आयुविज्ञान संस्थाना : नई दिल्ली All india Institute of Madical Sciences, New Delhy



(7)

To whom it may concern:

J.P. Schouten, as director of MRC Holland B.V. with legal address in Willem Schoutenstraat 1, 1057DL Amsterdam, The Netherlands and Chamber of Commerce nr. 34204804 (fiscal V.A.T. identification number NL813037761B01) authorizes the company, **DSS Imagetech Pvt. Ltd.** located in A-5 Mohan Co-operative Industrial Estate, Mathura Road, New Delhi 110044, India to be its authorized distributor in India until 31st December 2022.

DSS Imagetech Pvt. Ltd. is also authorized to participate in tenders with SALSA® MLPA® products.

Amsterdam, 08 December 2021

Dr. J.P. Schouten

Director, MRC Holland

